

GASOLINE

A87



NO.	PROPERTIES	UNIT	RESULT	TEST METHOD
-----	------------	------	--------	-------------

1.	Density@15°C	Kg/m ³	740 - 750	ASTM D 1298
2.	Distillation	-	-	-
3.	10% Evaporation	°C	65 max	ASTM D 86
4.	50% Evaporation	°C	110 max	ASTM D 86
5.	90% Evaporation	°C	150 max	ASTM D 86
6.	FBP	°C	205 max	ASTM D 86
7.	Residue	Vol%	2 max	ASTM D 86
8.	Loss	Vol%	report	ASTM D 86
9.	Total Sulphur	ppm	100 max	ASTM D 1266
10.	Corrosion 3hrs@100°C	-	1a	ASTM D 130
11.	Vapor pressure, Reid@37.8°C	kpi	51.5	ASTM D 323
12.	Gum content (Air jet)	Mg/100ml	4 max	ASTM D 381
13.	Induction period@100°C	mins	480 min	ASTM D 525
14.	Benzene	Vol%	1 max	GC
15.	Aromatic	Vol%	22 max	GC or D 1319
16.	Olefin	Vol%	15 max	GC or D 1319
17.	Octane number (Research)	-	87 min	ASTM D 2699
18.	Mercaptan content	ppm	5 max	ASTM D 3227
19.	MTBE	Vol%	15 max	-
20.	Oxygen content	Wt%	0	-

The analysis will be customizable & produce able as per buyer's request